



HIGHLIGHTS

- Small footprint, compact design
- Flexible design for customized branding
- Modular product concept
- Service-friendly maintenance access via the centre pedestal
- Cost advantage against single kiosks

polytouch[®] 32 PE4000

Overview

4 x DISPLAY

Screen size	82 cm (32")
Resolution	1920x1080 (Full HD)
Brightness	500 cd/m ²
Contrast	3000 : 1
View angle	178° h/v
Touch technology	Projected Capacitive Touch (PCT)
Simultaneous touches	10 touches
Bonding	Optical Bonding
Coating	Anti-Glare

4 x COMPUTER UNIT

Processor	Intel® Core™ i3-6100TE Skylake 2C/4T 2.7 Ghz 4 MB (Art.No.: 4010057056) OR Intel® Core™ i5-6500TE Skylake 4C/4T 2.3 Ghz 6 MB (Art.No.: 4010054060)
Chipset	Intel® Q170 Chipset
Graphics	Intel® HD530 Graphics
Memory	min. 4 GB DDR4
Storage	min. 128 GB mSATA SSD
LAN	2 x 1GbE LAN
OS	Windows 7/8/10 (32/64 Bit), Ubuntu Linux

polytouch[®] 32 PE4000

Overview

DETAILS	Front I/O	1 x DP 2 x USB 3.0/2.0 2 x LAN Intelligent interface · 24 V (LPS) Printer · 12 V (LPS) Payment 2 x COM 1 x ATX-Button	
POWER	Power supply	Internal, max. 280 W, active cooling	
	Power input	3.5 A @ 115 V AC; 2 A @ 230 V AC max.	
	Input voltage	100 – 240 V AC, 50/60 Hz	
ENVIRONMENTAL CONDITIONS		Storage	Operating
	Temperature	5°C–60°C	10°C–35°C
	Humidity	5%–95% (non-condensing)	20%–90% (non-condensing)
CUSTOMIZATION	Scanner/Imager	2D/3D barcode scanner with proximity sensor	
	Printer	80 mm thermal printer	
	Brand options	Individual 4C print on front bezel	
PEDESTAL	Material	Steel, powder coated	
	Dimensions (WxDxH)	1171 x 388.7 x 1799 mm	
	Weight	Approx. 250 kg (net)	
	Mounting	Standalone	
		Screen attachment is made by holders with snap fasteners	
	Additional options	Various expansion stages of the periphery	
	Colour options	RAL 9010 white RAL 9005 black more	
Compatible with	polytouch [®] 32		
CERTIFICATIONS	CE, further certifications on request		




Customized front bezel with printer, payment module and scanner



Screen attachment by holders with snap fasteners

polytouch® 32 PE4000



polytouch® 32 PE4000




Figure shows configuration variant



Figure shows configuration variant

4010062485_ds_polytouch_32_PE4000_EN_rel_0.3 · 07.08.19 · specification is subject to change

polytouch® 32 PE4000



4010062485_ds_polytouch_32_PE4000_EN_rel_0.3 · 07.08.19 · specification is subject to change

polytouch[®] 32 PE4000

Dimensions (in mm)

Figure shows configuration variant

